

L'AMICA


code: **736/L/GR**







DESIGN EMILIANA MARTINELLI, ELIO MARTINELLI 2012



TABLE LAMP DIFFUSED AND DIRECT LIGHT, SWIVEL ARM WITH ADJUSTABLE ALUMINIUM HEAD, LACQUERED IN GREY OR PISTACHIO GREEN. DETAILS IN LACQUERED GREY OR BLUE METAL. JOINTS IN RESIN IN ANTHRACITE COLOR. BASE IN METAL AND RESIN ANTHRACITE. LED LIGHT SOURCE INTEGRATED. ELECTRONIC DRIVER ON THE PLUG.

TECHNICAL DRAWINGS





UTILIZATION: INTERNAL		TIPOLOGY: TABLE LAMPS 	
COLOURS	STRUCTURE: DIFFUSER:	GREY GREY	
MATERIALS	STRUCTURE: DIFFUSER:	METAL ALUMINIUM	
MEASURES	WIDTH: 115 cm HEIGHT: - LENGTH: - DEPTH: -	DIAMETER: 12 cm HOLE DIAMETER: - HOLE DEPTH: -	WEIGHT NET: 3,5 GROSS: 4,5
	PACKAGING VOL.M ³ : -		NUMBER OF ITEMS: 1
BULBS	LED 1X9W FLUX: 900LM KELVIN: 3000° CLASS: A++ CRI: >80 COLOR TOLERANCE: - DURATION: 40000H		
			
DEVICE SPECIFICATIONS			
TYPE OF EMISSION: DIRECT/INDIRECT		POWER SUPPLY CABLE LENGTH: 200cm	
POWER: -		LENGTH OF HANGING CABLE: -	
FLOW LAMP: -		SUPPLY: INCLUDED	
BEAM ANGLE: -		POWER SUPPLY ASSEMBLY: EXTERNAL	
DEVICE EFFICIENCY: -lm/W		TYPE OF DIMMING: -	
IMPACT RESISTANCE: -		VOLTAGE: 230 V	
GLOW WIRE TEST: -			
POWER SUPPLY: ELECTRONIC DRIVER ON THE PLUG			
CERTIFICATIONS	   		
MARKETS	THIS ITEM IS AVAILABLE IN THE FOLLOWING COUNTRIES: EUROPE		

L'AMICA
code: *736/L/GR*

DESIGN EMILIANA MARTINELLI, ELIO MARTINELLI 2012

PHOTO GALLERY



L'AMICA


code: **736/L/VE**




DESIGN EMILIANA MARTINELLI, ELIO MARTINELLI 2012

TABLE LAMP DIFFUSED AND DIRECT LIGHT, SWIVEL ARM WITH ADJUSTABLE ALUMINIUM HEAD, LACQUERED IN GREY OR PISTACHIO GREEN. DETAILS IN LACQUERED GREY OR BLUE METAL. JOINTS IN RESIN IN ANTHRACITE COLOR. BASE IN METAL AND RESIN ANTHRACITE. LED LIGHT SOURCE INTEGRATED. ELECTRONIC DRIVER ON THE PLUG.



TECHNICAL DRAWINGS



UTILIZATION:	INTERNAL	TIPOLOGY:	TABLE LAMPS	
COLOURS	STRUCTURE: DIFFUSER:	BRIGHT GREEN BRIGHT GREEN		
MATERIALS	STRUCTURE: DIFFUSER:	METAL ALUMINIUM		
MEASURES	WIDTH: 115 cm HEIGHT: - LENGTH: - DEPTH: - PACKAGING VOL.M ³ : -	DIAMETER: 12 cm HOLE DIAMETER: - HOLE DEPTH: -	WEIGHT NET: 3,5 GROSS: 4,5	NUMBER OF ITEMS: 1
BULBS	LED 1X9W FLUX: 900LM KELVIN: 3000° CLASS: A++ CRI: >80 COLOR TOLERANCE: - DURATION: 40000H			
				
DEVICE SPECIFICATIONS	TYPE OF EMISSION: DIRECT/INDIRECT		POWER SUPPLY CABLE LENGTH: 200cm	
	POWER: -		LENGTH OF HANGING CABLE: -	
	FLOW LAMP: -		SUPPLY: INCLUDED	
	BEAM ANGLE: -		POWER SUPPLY ASSEMBLY: EXTERNAL	
	DEVICE EFFICIENCY: -lm/W		TYPE OF DIMMING: -	
	IMPACT RESISTANCE: -		VOLTAGE: 230 V	
	GLOW WIRE TEST: -			
	POWER SUPPLY: ELECTRONIC DRIVER ON THE PLUG			
CERTIFICATIONS				
MARKETS	THIS ITEM IS AVAILABLE IN THE FOLLOWING COUNTRIES: EUROPE			

L'AMICA
code: *736/L/VE*

DESIGN EMILIANA MARTINELLI, ELIO MARTINELLI 2012

PHOTO GALLERY

