

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0251

Chair with four-leg frame, available in chromed or powdercoated steel, or brushed stainless steel versions. The shell is available in single-colour polypropylene, bi-colour polypropylene or upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Versions with polypropylene shell and powdercoated or brushed base can be used outdoor. Steel armrests, also with pad, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



PO
Polypropylene
two colors

PO
Polypropylene
one color

Hard leather Grade 1 and Grade 2



CT

CU

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Stacking protection pad with link Art. 0260



Cushion Art. 0261



Stacking protection pad Art. 0262



Basket Art. 0265



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel



Armrests CV - pad (only for PO)

arper

SHIPMENT DETAILS

Art.0251

1 pz = 2 - kg 7,9/ m² 0,25

4 pz = 2 - kg 28/ m² 0,32

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05
- EN 1728:2012 - EN 16139:2013 6.5
- EN 1728:2012 - EN 16139:2013 6.18
- UNI 9083/87

- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- ANSI/BIFMA X5.1-2002/11
- ANSI/BIFMA X5.1-2002 6
- EN 1728:2012 - EN 16139:2013 6.4
- EN 1728:2012 - EN 16139:2013 6.17
- TUV GS (EN16139)

TECHNICAL SPECIFICATIONS

Art.0251

Outdoor: only for PO+S03, V12, V13, V39, V48, V53, V54, V55, V56, V57

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1 polypropylene • EN 1021 -1/2 polypropylene • M2 polypropylene • California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
 - With trolley: up to 20 pcs.
 - CT/CU versions: max. 5 pcs. With stacking pad.
- VERSION WITH ARMRESTS STACKABILITY
- Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0253

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Basket Art. 0265



Stacking protection pad with link Art. 0277



Stacking protection pad Art. 0499



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel



Armrests CI - only pad

arper

SHIPMENT DETAILS

Art.0253

1 pz = 2 - kg 9,2/ m² 0,27

4 pz = 2 - kg 34/ m² 0,36

TECHNICAL SPECIFICATIONS

Art.0253

COL requirement m² 1.67

H 140 cm. COM Meterage ml 1.1

Line detail stitching.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05
- EN 1728:2012 - EN 16139:2013 6.5
- EN 1728:2012 - EN 16139:2013 6.18
- UNI 9083/87

- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- ANSI/BIFMA X5.1-2002/11
- ANSI-BIFMA X5.1-2002 6
- EN 1728:2012 - EN 16139:2013 6.4
- EN 1728:2012 - EN 16139:2013 6.17
- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).

– With stacking protection pad and trolley: up to 8 pcs.

– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

VERSION WITH ARMRESTS STACKABILITY

– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2013

Art. 0310

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2013

Accessories:



Link Art. 0258



Basket Art. 0265



Stacking protection pad with link Art. 0277



Stacking protection pad Art. 0499



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel



Armrests CI - only pad

arper

SHIPMENT DETAILS

Art.0310

1 pz = 2 - kg 10,6/ m² 0,27

4 pz = 2 - kg 35,44/ m² 0,37

TECHNICAL SPECIFICATIONS

Art.0310

COL requirement m² 1,98

H 140 cm. COM Meterage ml 1,08

The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice.

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6. 5
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05

- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6. 4
- ANSI/BIFMA X5.1-2002/11
- ANSI-BIFMA X5.1-2002 6
- UNI 9083/87

FIRE RETARDANT TEST

Classe 1M Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).

– With stacking protection pad and trolley: up to 8 pcs.

– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

VERSION WITH ARMRESTS STACKABILITY

– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2014

Art. 0325

Chair with four-leg steel frame, available in chromed steel, stainless steel or lacquered version. Wood shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2014

Accessories:



Link Art. 0258



Basket Art. 0265



Stacking protection pad with link Art. 0277



Stacking protection pad Art. 0499



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel





Armrests CI - only pad

arper

SHIPMENT DETAILS

Art.0325

1 pz = 2  - kg 10,6/ m² 0,27

4 pz = 2  - kg 35,44/ m² 0,37

TECHNICAL SPECIFICATIONS

Art.0325

COL requirement m² 0.84

H 140 cm. COM Meterage ml 0.65

RESISTANCE TEST

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

Stackability:

– With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).

– With stacking protection pad and trolley: up to 8 pcs.

– Soft leather - faux leather versions: max. 5 pcs. with stacking pad

VERSION WITH ARMRESTS STACKABILITY

– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0351

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Wood



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Cushion Art. 0261



Basket Art. 0265



Stacking protection glide Art. 0286



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel

arper

SHIPMENT DETAILS

Art.0351

1 pz = 2 - kg 7,38/ m³ 0,24

4 pz = 2 - kg 25,9/ m³ 0,32

RESISTANCE TEST

- EN 12727:2000 6.10
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 5
- TUV GS (EN16139)

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6. 4
- EN 1022:05

TECHNICAL SPECIFICATIONS

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

ENVIRONMENTAL CERTIFICATIONS



Stackability:

– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

– With stacking glide and trolley: up to 10 pcs.
VERSION WITH ARMRESTS STACKABILITY

– Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2012

Art. 0450

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



PO Polypropylene two colors
PO Polypropylene one color

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2012

Accessories:



Link Art. 0258



Basket Art. 0265



Stacking protection pad with link Art. 0277



Stacking protection pad Art. 0499



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV




Armrests BV brushed stainless steel




Armrests CI - only pad

SHIPMENT DETAILS

Art.0450

1 pz = 2  - kg 10,6/ m² 0,27

4 pz = 2  - kg 35,44/ m² 0,37

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.4
- ANSI/BIFMA X5.1-2002/11
- ANSI-BIFMA X5.1-2002 6
- UNI 9083/87

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.5
- ANSI/BIFMA X5.1-2002/16
- EN 1022:05

ENVIRONMENTAL CERTIFICATIONS

TECHNICAL SPECIFICATIONS

Art.0450

COL requirement m² 0.48

H 140 cm. COM Meterage ml 0.59

FIRE RETARDANT TEST

Classe 11M Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 8 pcs.
- Soft leather - faux leather versions: max. 5 pcs. with stacking pad

VERSION WITH ARMRESTS STACKABILITY

- Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0458

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



PO
Polypropylene
one color

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Basket Art. 0265



Stacking protection pad with link Art. 0277



Stacking protection pad Art. 0499



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV




Armrests BV brushed stainless steel




Armrests CI - only pad

SHIPMENT DETAILS

Art.0458

1 pz = 2  - kg 10,6/ m² 0,27

4 pz = 2  - kg 35,44/ m² 0,37

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.10
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.6
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6. 5
- ANSI/BIFMA X5.1-2002/16
- EN 1022.05
- UNI 9083/87

- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.5
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6. 4
- ANSI/BIFMA X5.1-2002/11
- ANSI-BIFMA X5.1-2002 6
- TUV GS (EN16139)

TECHNICAL SPECIFICATIONS

Art.0458

COL requirement m² 0.84

H 140 cm. COM Meterage ml 0.65

FIRE RETARDANT TEST

Classe 11M Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 8 pcs.
- Soft leather - faux leather versions: max. 5 pcs. with stacking pad

VERSION WITH ARMRESTS STACKABILITY

- Up to 5 pcs. (should the weight exceed 25 kilos a handling tool must be used).